
# Cosmological Perturbations Through a General Relativistic Bounce

C. Gordon (DAMTP, Cambridge, UK)

- Reference: C. Gordon and N. Turok, hep-th/0206138.
- Some String/M- theory based cosmologies such as the Ekpyrotic and Pre- Big Bang models can be described by a collapsing Universe which undergoes a bounce to an expanding Universe.
- If the cosmological perturbations were generated in the collapsing phase, it is necessary to know how they propagate through the transition.

#### Scalar Field in a Closed Universe

- A closed Universe whose energy density becomes dominated by the potential energy, *V*(□), of a scalar field □ can bounce without violating General relativity or the weak energy condition: □+p≥0
- Size of ball in figure proportional to log of scale factor *a*.
- Time scale =  $a_0$ , the scale factor at the bounce.




## Cosmological Perturbations

· Comoving curvature perturbation (denoted or ) is a good measure of cosmological perturbations

is constant provided the wavelength of the perturbation <sup>10<sup>2</sup></sup> is greater than the Hubble length (*1/H*) and the entropy perturbation (*S*) is negligible

Figure shows how wave length shrinks smaller than the Hubble length so not constant across bounce.




## **Entropy Perturbation**

The entropy perturbation is given by:

$$S = H \left( \frac{\delta p}{\dot{p}} - \frac{\delta \rho}{\dot{\rho}} \right)$$

- In the collapsing (expanding) phase the entropy increases (decreases) exponentially.
- Green lines in figure enclose time when the entropy perturbation causes to vary.



#### Conclusion

- Considered a potential dominated scalar field in a closed Universe. This led to a bounce consistent with General Relativity and the Weak Energy Condition.
- · All cosmological perturbations are effected by bounce as
  - All wave lengths become smaller than Hubble length around bounce.
  - The entropy perturbation is amplified around the bounce.
- Shows how in general the bounce mechanism is important in determining the transfer of cosmological perturbations from a contracting to an expanding phase of the Universe.
- Reference: C. Gordon and N. Turok, hep-th/0206138.